

# SAFETY DATA SHEET

Issue Date 11-July-2014

Revision Date 01-May-2015

Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name

MAXIMUM 30

F30300

Other means of identification

SDS#

JC-012-032

Synonyms

None

Details of the supplier of the safety data sheet

Company Name

FOX VALLEY CHEMICAL CO

5201 MANN DR

RINGWOOD, IL 60072

815-653-2660

Emergency telephone number

Emergency Telephone

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

## Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

$\dashv$
$\dashv$
-

Label elements

## **Emergency Overview**

# Warning

Hazard statements

Causes mild skin irritation
Harmful to aquatic life with long lasting effects

Appearance Opaque

Physical state Liquid

Odor Mild Ammonia

Precautionary Statements - Prevention

Avoid release to the environment

Precautionary Statements - Response Specific Treatment (See Section 4 on the SDS)

If skin irritation occurs: Get medical advice/attention Immediately call a POISON CENTER or doctor/physician Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.916927% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

	CAS No.	Weight-%	Trade Secret
Chemical Name	Proprietary	10-30	*
Styrene Acrylic Copolymer	111-90-0	3-7	*
2-(2-ethoxyethoxy)ethanol	78-51-3	1-5	*
Tributoxyethyl Phosphate	1314-13-2	.1-1	*
Zinc oxide Ammonia	7664-41-7	.1-1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures

Skin Contact

Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation

Remove to fresh air.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

# Most important symptoms and effects, both acute and delayed

Symptoms

Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

# Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc oxide 1314-13-2	STEL: 10 mg/m³ respirable fraction TWA: 2 mg/m³ respirable fraction	TWA: 5 mg/m3 fume	IDLH: 500 mg/m³ Ceiling: 15 mg/m³ dust TWA: 5 mg/m³ dust and fume STEL: 10 mg/m³ fume
Ammonia 7664-41-7	STEL: 35 ppm TWA: 25 ppm	TWA: 50 ppm TWA: 35 mg/m³ (vacated) STEL: 35 ppm (vacated) STEL: 27 mg/m³	IDLH: 300 ppm TWA: 25 ppm TWA: 18 mg/m³ STEL: 35 ppm STEL: 27 mg/m³
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering Controls** 

Showers, Eyewash stations & Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Remarks • Method

provided in accordance with current local regulations.

General Hygiene

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state

**Appearance** 

Color Odor

Opaque Off-white Mild Ammonia

Liquid

Odor threshold

No Information available

Property

Hq

Specific Gravity Viscosity

Melting point/freezing point

Flash point

Boiling point / boiling range

Evaporation rate Flammability (solid, gas)

Flammability Limits in Air Upper flammability limit:

Lower flammability limit:

Vapor pressure Vapor density

Water solubility Partition coefficient

Autoignition temperature Decomposition temperature Values

8.0 - 9.0 1.054

<100 cP @ 25°C

No Information available

212 ° F (at 760 mm Hg) No Information available

No Information available

No Information available No Information available No Information available

Complete

No Information available No Information available

No Information available

## Other Information

Density Lbs/Gal VOC Content (%) 8.79 6.10247

## 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

**Hazardous Decomposition Products** 

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information

Harmful by inhalation and in contact with eyes and skin.

Inhalation

Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact

Avoid contact with eyes. May cause slight irritation.

**Skin Contact** 

Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion

Not an expected route of exposure. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-ethoxyethoxy)ethanol	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg	> 5240 mg/m³ (Rat) 4 h
111-90-0		(Rat)	
Ethanol	= 7060 mg/kg (Rat)	~	= 124.7 mg/L (Rat) 4 h
64-17-5		[	

## Information on toxicological effects

Symptoms

No Information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No Information available.

Germ cell mutagenicity

No Information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity STOT - single exposure

No Information available. No Information available. No Information available.

STOT - repeated exposure Chronic toxicity

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when

consumed as alcoholic beverage.

Aspiration hazard

No Information available.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 

0.916927% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

34.68746% of the mixture consists of components(s) of unknown hazards to the aquatic environment

24,0074070 OF THE HINKING CORNING	sta of componenta(a) of unknown	Tibzaras to tito agabito oriviroriti	
Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-ethoxyethoxy)ethanol	-	10000: 96 h Lepomis macrochirus	3940 - 4670: 48 h Daphnia magna
111-90-0		mg/L LC50 static 19100 - 23900: 96	mg/L EC50
		h Lepomis macrochirus mg/L LC50	
		flow-through 11400 - 15700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 11600 - 16700: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 13400: 96 h Salmo	
		gairdneri mg/L LC50 flow-through	
Tributoxyethyl Phosphate	_	10.4 - 12.0: 96 h Pimephales	-
78-51-3		promelas mg/L LC50 flow-through	
Nonylphenol Ethoxylate		5: 96 h Fish ma/L LC50	-
9016-45-9		0.00111011119122000	
Ammonia	_	0.44: 96 h Cyprinus carpio mg/L.	25.4: 48 h Daphnia magna mg/L
7664-41-7	_	LC50 0.26 - 4.6: 96 h Lepomis	LC50
1004-41-1		macrochirus mg/L LC50 1.17: 96 h	2000
		Lepomis macrochirus mg/L LC50	
		flow-through 0.73 - 2.35: 96 h	
		Pimephales promelas mg/L LC50	
İ		5.9: 96 h Pimephales promelas	
		mg/L LC50 static 1.5: 96 h Poecilia	
		reticulata mg/L LC50 1.19: 96 h	
		Poecilia reticulata mg/L LC50 static	
			9268 - 14221: 48 h Daphnia magna
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	mg/L LC50 2: 48 h Daphila magna
64-17-5		····	mg/L EC50 2: 48 if Dapfilla friagria
		Pimephales promelas mg/L LC50	
		static 13400 - 15100; 96 h	Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50	
	0.44 0.40 701	flow-through	4.74, 40 h Deshula wanna ma/l
Methyl Chloro Isothiazolinone	0.11 - 0.16; 72 h	1.6: 96 h Oncorhynchus mykiss	4.71: 48 h Daphnia magna mg/L.
26172-55-4	Pseudokirchneriella subcapitata	mg/L LC50 semi-static	EC50 0.12 - 0.3: 48 h Daphnia
	mg/L EC50 static 0.03 - 0.13: 96 h		magna mg/L EC50 Flow through
	Pseudokirchneriella subcapitata		0.71 - 0.99: 48 h Daphnia magna
1	mg/L EC50 static 0.31: 120 h		mg/L EC50 Static
	Anabaena flos-aquae mg/L EC50		
Magnesium Chloride	2200: 72 h Desmodesmus	1970 - 3880; 96 h Pimephales	140: 48 h Daphnia magna mg/L
7786-30-3		promelas mg/L LC50 static 4210; 96	EC50 Static 1400: 24 h Daphnia
		h Gambusia affinis mg/L LC50 static	magna mg/L EC50

## Persistence and degradability

No Information available.

## **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
2-(2-ethoxyethoxy)ethano! 111-90-0	-0.8
Tributoxyethyl Phosphate 78-51-3	4.78
Ammonia 7664-41-7	-1.14

Other adverse effects

No Information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	California Hazardous Waste Status
Zinc oxide	Toxic
1314-13-2	

## 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Not regulated

## 15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-(2-ethoxyethoxy)ethanol - 111-90-0	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide 1314-13-2	-	X	-	-
Ammonia 7664-41-7	100 lb	-	-	X

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonia	100 lb	100 lb	RQ 100 lb final RQ
7664-41-7			RQ 45.4 kg final RQ

### US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen
	Developmental

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol 111-90-0	Х	•	X
Ammonia 7664-41-7	Х	X	Х
Ethanol 64-17-5	X	X	X
Magnesium Nitrate 10377-60-3	X	X	x

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

## 16. OTHER INFORMATION

NFPA_	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical
				Properties Yes
<u>HMIS</u>	Health hazards 1	Flammability 0	Physical hazards 0	Personal protection B

Issue Date **Revision Date**  11-July-2014 01-May-2015

**Revision Note** 

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonia	100 lb	100 lb	RQ 100 lb final RQ
7664-41-7			RQ 45.4 kg final RQ

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen
HO CO C D' 1 (C IV D ) C	Developmental

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol 111-90-0	Х	-	×
Ammonia 7664-41-7	Х	X	Х
Ethano! 64-17-5	X	X	X
Magnesium Nitrate 10377-60-3	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

		MATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection B

Issue Date Revision Date

11-July-2014 01-May-2015

**Revision Note** 

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**