## FOX VALLEY CHEMICAL COMPANY

5201 Mann Dr ~ PO Box 129 ~ Ringwood, Il 60072 1 (815)653-2660 Fx (815653-2509 www.foxvalleychemical.com Call Us for all your Janitorial Supplies

# SAFETY DATA SHEET

Issue Date 29-Jan-2015

Revision Date 25-Mar-2015

Version 1

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name

SEAL COAT

S40160

S40240

Other means of identification

SDS#

Synonyms

None

Details of the supplier of the safety data sheet

Company Name

Reliable Solutions and Coatings 6531 Park of Commerce Boulevard

Suite 170

Boca Raton, FL 33487

800-656-7774

Emergency telephone number

**Emergency Telephone** 

Chemtrec 1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
lare a mark as	Category 3

#### Label elements

**Emergency Overview** 

# Warning

### Hazard statements

May be harmful if swallowed Causes mild skin irritation

Appearance Opaque

Physical state Liquid

Odor Ammonia

**Precautionary Statements - Response** 

Specific Treatment (See Section 4 on the SDS)
If skin irritation occurs: Get medical advice/attention

Call a POISON CENTER or doctor/physician if you feel unwell

## Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.64479652% of the mixture consists of ingredient(s) of unknown toxicity

Revision Date 25-Mar-2015

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Styrene Acrylic Copolymer	Proprietary	10-30	*
2-(2-ethoxyethoxy)ethanol	111-90-0	3-7	*
Tributoxyethyl Phosphate	78-51-3	1-5	*
Zinc Ammonium Chloride	38714-47-5	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

Skin Contact Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

## Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No Information available.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Reliable 36 Seal

Revision Date 25-Mar-2015

Environmental precautions

**Environmental precautions** 

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

Exposure guidelines noted for ingredient(s)

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammonia	STEL: 35 ppm	TWA: 50 ppm	IDLH: 300 ppm
7664-41-7	TWA: 25 ppm	TWA: 35 mg/m <sup>3</sup>	TWA: 25 ppm
		(vacated) STEL: 35 ppm	TWA: 18 mg/m <sup>3</sup>
		(vacated) STEL: 27 mg/m <sup>3</sup>	STEL: 35 ppm
			STEL: 27 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** 

Showers, Eyewash stations & Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Remarks • Method

#### Information on basic physical and chemical properties

Physical state Liquid
Appearance Opaque
Color White
Odor Ammonia

Odor threshold No Information available

 Property
 Values

 pH
 8.5 - 9.5

Specific Gravity 1.05

Viscosity <100 cP @ 25°C

Melting point/freezing point No Information available

Flash point >200 °F

Boiling point / boiling range >= 212 ° F (at 760 mm Hg)
Evaporation rate No Information available

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: No Information available
Lower flammability limit: No Information available
Vapor pressure No Information available
Vapor density No Information available

Water solubility Complete

Partition coefficient
Autolgnition temperature
Decomposition temperature
No Information available
No Information available

## **Other Information**

 Density Lbs/Gal
 8.75

 VOC Content (%)
 6.10879

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

Reliable 36 Seal Revision Date 25-Mar-2015

Inhalation No data available. Not an expected route of exposure. Avoid breathing vapors or mists.

Eye contact No data available. Avoid contact with eyes.

**Skin Contact** Avoid contact with skin. Causes mild skin irritation.

Ingestion May be harmful if swallowed. Not an expected route of exposure. Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
2-(2-ethoxyethoxy)ethanol	= 1920 mg/kg (Rat)	= 4200 μL/kg (Rabbit) = 6 mL/kg	> 5240 mg/m³ (Rat) 4 h	
111-90-0		(Rat)	- ,	

## Information on toxicological effects

**Symptoms** No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available. Germ cell mutagenicity No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No Information available. STOT - single exposure No Information available. STOT - repeated exposure No Information available. Chronic toxicity No Information available. Aspiration hazard No Information available.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.64479652% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

36.6311% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-ethoxyethoxy)ethanol	-	10000: 96 h Lepomis macrochirus	3940 - 4670: 48 h Daphnia magna
111-90-0		mg/L LC50 static 19100 - 23900: 96	mg/L EC50
		h Lepomis macrochirus mg/L LC50	·
		flow-through 11400 - 15700: 96 h	
i		Oncorhynchus mykiss mg/L LC50	
		flow-through 11600 - 16700: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 13400: 96 h Salmo	
		gairdneri mg/L LC50 flow-through	
Tributoxyethyl Phosphate	-	10.4 - 12.0: 96 h Pimephales	-
78-51-3		promelas mg/L LC50 flow-through	
Nonyiphenol Ethoxylate	-	5: 96 h Fish mg/L LC50	_
9016-45-9			

Methyl Chloro Isothiazolinone	0.11 - 0.16: 72 h	1.6: 96 h Oncorhynchus mykiss	4.71: 48 h Daphnia magna mg/L
26172-55-4	Pseudokirchneriella subcapitata	mg/L LC50 semi-static	EC50 0.12 - 0.3: 48 h Daphnia
	mg/L EC50 static 0.03 - 0.13: 96 h		magna mg/L EC50 Flow through
	Pseudokirchneriella subcapitata		0.71 - 0.99: 48 h Daphnia magna
	mg/L EC50 static 0.31: 120 h		mg/L EC50 Static
	Anabaena flos-aquae mg/L EC50		
Magnesium Chloride	2200: 72 h Desmodesmus	1970 - 3880: 96 h Pimephales	140: 48 h Daphnia magna mg/L
7786-30-3	subspicatus mg/L EC50	promelas mg/L LC50 static 4210: 96	EC50 Static 1400: 24 h Daphnia
	,	h Gambusia affinis mg/L LC50 static	magna mg/L EC50
Ammonia	-	0.44: 96 h Cyprinus carpio mg/L	25.4: 48 h Daphnia magna mg/L
7664-41-7		LC50 0.26 - 4.6: 96 h Lepomis	LC50
		macrochirus mg/L LC50 1.17: 96 h	
		Lepomis macrochirus mg/L LC50	
		flow-through 0.73 - 2.35: 96 h	
		Pimephales promelas mg/L LC50	
		5.9: 96 h Pimephales promelas	
		mg/L LC50 static 1.5: 96 h Poecilia	
		reticulata mg/L LC50 1.19: 96 h	
		Poecilia reticulata mg/L LC50 static	İ

#### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
2-(2-ethoxyethoxy)ethanol 111-90-0	-0.8
Tributoxyethyl Phosphate 78-51-3	4.78

## Other adverse effects

No Information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Zinc Ammonium Chloride	Toxic
38714-47-5	

## 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Not regulated

## 15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 313 - Threshold Values %		
1.0		
1.0		

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

**CWA (Clean Water Act)** 

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Ammonium Chloride 38714-47-5	-	X	-	-

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

#### California Proposition 65

This product contains the following Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol 111-90-0	X	-	X
Zinc Ammonium Chloride 38714-47-5	Х	-	X
Ammonia 7664-41-7	Х	X	X

U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

		16.	OTHER INF	ORN	IATION		
<u>NFPA</u>	Health hazards	1	Flammability	0	Instability 0		Physical and Chemical Properties Yes
<u>HMIS</u>	Health hazards	1	Flammability	0	Physical hazards	0	Personal protection B
Issue Date Revision Date		an-2015 ar-2015					

Revision Note

No Information available

Revision Date 25-Mar-2015

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**